

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab# | 8601747 | Repoi | rt of Analys | is | Report Num | ber: 19-082-4007 |
|------|-----------------|---------------------|--------------|------------|--------------|------------------|
| | Account: | BRIAN PUGH | - | | | |
| | 38559 | CITY OF FAYET | TEVILLE | | 1/1 | |
| | | 1560 S HAPPY H | OLLOW RD | | 1 Cold | 700 |
| | | FAYETTEVILLE | AR 72701 | | Rob | ert Ferris |
| | | | | | Accou | nt Manager |
| D | ate Sampled: | 2019-03-06 | | | 402- | 829-9871 |
| D | ate Received: | 2019-03-08 | | | STA ANALYSIS | 3 |
| | Sample ID: | YARDWASTE | | | | |
| | | | | | | Total content, |
| | | | | Analysis | Analysis | lbs per ton |
| | | | | (as rec'd) | (dry weight) | (as rec'd) |
| NUTR | RIENTS | | | | | |
| | Nitrogen | | | | | |
| | Total Nitroge | | % | 0.79 | 1.99 | 15.8 |
| | Organic Nitro | ~ | % | 0.21 | 0.53 | 4.2 |
| | Ammonium N | | % | 0.571 | 1.437 | 11.4 |
| | Nitrate Nitrog | en | % | 0.01 | 0.03 | 0.2 |
| | | | | | | |
| | Major and Secor | ndary Nutrients | | | | |
| | Phosphorus | - | % | 0.11 | 0.28 | 2.2 |
| | Phosphorus | as P2O5 | % | 0.25 | 0.63 | 5.0 |
| | Potassium | | % | 0.29 | 0.73 | 5.8 |
| | Potassium as | s K2O | % | 0.35 | 0.88 | 7.0 |
| | Sulfur | | % | 0.09 | 0.23 | 1.8 |
| | Calcium | | % | 1.79 | 4.51 | 35.8 |
| | Magnesium | | % | 0.12 | 0.30 | 2.4 |
| | Sodium | | % | 0.010 | 0.025 | 0.2 |
| | Minnerstel | | | | | |
| | Micronutrients | | n.n.n. | 2000 | 0204 | |
| | Iron | | ppm | 3290 | 8281 | 6.6 |
| | Manganese | | ppm | 612 | 1540 | 1.2 |
| | Boron | | ppm | < 100 | | |
| OTUE | R PROPERTIES | | | | | |
| OTHE | Moisture | | % | 60.27 | | |
| | Total Solids | | % | 39.73 | | 794.6 |
| | Organic N | Natter | % | 21.10 | 53.11 | 422.0 |
| | Ash | rialici | % | 18.30 | 46.06 | 366.0 |
| | Total Carbon | | % | 11.60 | 29.20 | 300.0 |
| | Chloride | | % | 0.02 | 0.05 | |
| | pH | | /0 | 7.4 | 0.03 | |
| | | 1:5 (Soluble Salts) | mS/cm | 1.84 | | |
| | Conductivity | 1.5 (Soluble Sails) | IIIO/CIII | 1.04 | | |

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab # | 8601747 | Biolo | ogical & P | hysical Pro | perties | Report Num | ber: 19-082-4007 |
|--------|------------------------------|---------|------------|--------------|-------------------------|-----------------|-------------------|
| | Account: | BRIAN | PUGH | | | | |
| | 38559 | CITY OI | F FAYETTE | VILLE | | 1/11 | FISS |
| | | 1560 S | HAPPY HO | LLOW RD | | 1000 | , – |
| | | FAYET | ΓEVILLE AF | R 72701 | | Rob | pert Ferris |
| | | | | | | Client Service | ce Representative |
| D | ate Sampled: | 2019-03 | 3-06 | | | 402- | -829-9871 |
| Da | ate Received: | 2019-03 | 3-08 | | | STA ANALYSI | S |
| | Sample ID: | YARDW | /ASTE | | | | |
| | | | Analysis | Analysis | | • | |
| | | | (as rec'd) | (dry weight) | Units | Detection Limit | Method |
| Biolog | gical Properties | | | | | | |
| | Germination | | 100 | | % | 1 | TMECC 05.05A |
| | Germination Vig | or | 100 | | % | 1 | TMECC 05.05A |
| | CO ₂ OM Evolution | on | 0.28 | | mgCO ₂ -C/gO | M/day 0.01 | TMECC 05.08B |
| | CO2 Solids Evolu | ution | 0.48 | | mgCO ₂ -C/gT | S/day 0.01 | TMECC 05.08B |
| | Fecal Coliform | | | 12 | mpn/g | 0.2 | EPA 1681 |
| | Salmonella | | | < 0.01 | mpn/4g | 0.01 | EPA 1682 |
| | Stability Rating | | Stable | | N/A | N/A | TMECC 05.08B |
| | | | | | | | |
| Physic | cal Properties | | | | | | |
| | Bulk Density (Lo | • | 792 | | lbs/cu yard | 1 | WT/VOL |
| | Bulk Density (Pa | icked) | 1314 | | lbs/cu yard | 1 | WT/VOL |
| | Film Plastics | | n.d. | | % | 0.25 | Microscopic |
| | Glass Fragments | S | n.d. | | % | 0.25 | Microscopic |
| | Hard Plastics | | n.d. | | % | 0.25 | Microscopic |
| | Metal Fragment | | n.d. | | % | 0.25 | Microscopic |
| | Sharps | | Absent | | | | Microscopic |
| | Max. Particle Le | • | | 2.0 | inches | N/A | TMECC Sieve |
| | Sieve % Passing | 2 | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | • | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | 2 | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | - | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | 3/8" | | 100 | % | 0.01 | TMECC Sieve |
| | Sieve % Passing | g 1/4" | | 96 | % | 0.01 | TMECC Sieve |
| | | | | | | | |

Compost Results Interpretations

Page 1

Report #:
DATE RECEIVED:

19-082-4007 2019-03-08

Organic Matter %

21.10 As Received 53.11 Dry Weight

Greater than 20% indicates a desirable range for compost on a dry weight basis.

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio

14.7:1

20-30 indicates an ideal range for the initial compost process.

10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %

60.27

<35% = Indicates overly dry compost

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #: DATE RECEIVED: 19-082-4007 2019-03-08

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

| Conductivity 1:5 | |
|--------------------|---|
| Conductivity Level | Interpretation |
| Greater than 10 | Very High nutrient content. Use for Ag Applications |
| 5 - 10 | High nutrient content. Use for Ag Applications |
| 3 - 5 | Higher than desirable for salt sensitive plants, some loss of vigor |
| 0.6 - 3 | Desirable range for most plants |
| 0.3 - 0.6 | Ideal range for greenhouse growth media |
| 0.0 - 0.3 | Very Low: Indicates very low nutrient status: plants may show deficiencies. |

Compost Results Interpretations

Page 3

Report #:
DATE RECEIVED:

19-082-4007 2019-03-08

pH Value

7.4

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

| | | | | AC | G INDEX CHA | RT | | | | |
|----------------------------|---|---|-----------------------------------|----|-------------|----|-------------------------------------|---|-------|------------------|
| salt injury possible | | | t drainage cha lity and low sa | | you | | ils with poor d ality, or high s | | water | for all soils |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | > 10 |

Nutrients (N+P205+K20)

3.50 Average Nutrient Content Dry Weight

<2 = Low, >5 = High

1-0.5-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

REPORT NUMBER

19-082-4007

Mar 23, 2019
RECEIVED DATE
Mar 08, 2019

38559



PAGE

6/6

ISSUE DATE **Mar 23, 2019**

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

CITY OF FAYETTEVILLE
BRIAN PUGH
1560 S HAPPY HOLLOW RD
FAYETTEVILLE AR 72701

REPORT OF ANALYSIS

For: (38559) CITY OF FAYETTEVILLE STA ANALYSIS

| | Level Found | ound | | Reporting | | Analyst- | Verified- |
|----------------------|----------------------------|-------------------------------|--------------------|-----------|----------|-----------------|-----------------|
| Analysis | As Received Dry Weight | Dry Weight | Units | Limit | Method | Date | Date |
| Sample ID: YARDWASTE | Lab Number: 8601747 | Date Sampled: 2019-03-06 1119 | d: 2019-03- | 06 1119 | | | |
| Cadmium (total) | n.d. | 0.54 | mg/kg | 0.50 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Chromium (total) | 7.47 | 18.8 | mg/kg | 1.00 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Mercury (total) | n.d. | n.d. | mg/kg | 0.05 | EPA 7471 | pjd8-2019/03/13 | kkh9-2019/03/14 |
| Lead (total) | 5.3 | 13.3 | mg/kg | 5.0 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Molybdenum (total) | 1.3 | ა ა | mg/kg | 1.0 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Nickel (total) | 4.8 | 12.2 | mg/kg | 1.0 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Selenium (total) | n.d. | n.d. | mg/kg | 10.0 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Zinc (total) | 50.2 | 126.4 | mg/kg | 2.0 | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Copper (total) | 13.0 | 32.6 | mg/kg | _ | EPA 6010 | ery3-2019/03/12 | kkh9-2019/03/14 |
| Arsenic (total) | 1.98 | 4.99 | mg/kg | 0.5 | EPA 6020 | ras7-2019/03/13 | kkh9-2019/03/14 |

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

n.d. = not detected, ppm = parts per million, ppm = mg/kg

The result(s) issued on this report only reflect the analysis of Our reports and letters are for the exclusive and confidential use of our clients and may provide the work, the results, or the company in any advertising, news release, or other publishments of the Nelson Stacie Nelson.

For questions please contact:
Stacie Nelson
Account Manager

horization.